

World Meteorological Organization

EL NIÑO/LA NIÑA UPDATE

Current Situation and Outlook

Neutral conditions (neither El Niño nor La Niña) continue in the tropical Pacific. Model forecasts and expert opinion suggest that neutral conditions are likely to be maintained through the boreal autumn of 2013 and winter 2013-14. Two or more consecutive years of neutral conditions have been observed in the past and the situation is not unusual. National Meteorological and Hydrological Services and other agencies will continue to monitor the conditions over the Pacific and provide outlooks to assess the most likely state of the climate through the remainder of 2013 and into early 2014.

Since the boreal spring of 2012, El Niño-Southern Oscillation (ENSO) indicators in the tropical Pacific (e.g., tropical Pacific sea surface temperatures, sea level pressure, cloudiness and trade winds) have generally been at neutral levels, indicating that neither El Niño nor La Niña conditions have been present. Since May 2013, sea surface temperatures have been well below average in the far eastern tropical Pacific, only recently returning toward normal. However, these cold sea surface temperatures have been positioned too far to the east to be considered indicative of a basin-wide La Niña episode, even though they caused some minor impacts over local climate conditions in western parts of South America.

The latest outlooks from international climate models and expert opinion suggest that sea surface temperatures and atmospheric anomalies associated with El Niño or La Niña are most likely to remain neutral through the end of 2013 and into early 2014. Less than one-fifth of the models surveyed predict weak La Niña conditions to develop during the October to December period, and likewise less than one-fifth predict weak El Niño development during that period and into the first quarter of 2014. Therefore, while there is a very slight chance for La Niña or El Niño development during the next one or two seasons, neutral ENSO conditions are considered by far the most likely scenario.

It is important to note that El Niño and La Niña are not the only factors that drive global climate patterns. At the regional level, seasonal outlooks need to assess the relative impacts of both the El Niño/La Niña state and other locally relevant climate drivers. For example, the negative Indian Ocean Dipole conditions, established in May, dissipated during August and neutral conditions are currently prevailing. Locally applicable information is available via regional/national seasonal climate outlooks, such as those produced by WMO Regional Climate Centres (RCCs), Regional Climate Outlook Forums (RCOFs) and National Meteorological and Hydrological Services (NMHSs).

In summary:

- Over the last 12 months, conditions have mainly remained neutral (neither El Niño nor La Niña);
- As of mid-September 2013, outlooks indicate that these neutral conditions are most likely to continue into early 2014.

The situation in the tropical Pacific and Indian oceans will continue to be carefully monitored. More detailed interpretations of regional climate fluctuations will be generated routinely by the climate forecasting community over the coming months and will be made available through the National Meteorological and Hydrological Services. For web links of the National Meteorological Services, please visit:

http://www.wmo.int/pages/members/members en.html

El Niño/La Niña Background

Climate Patterns in the Pacific

Research conducted over recent decades has shed considerable light on the important role played by interactions between the atmosphere and ocean in the tropical belt of the Pacific Ocean in altering global weather and climate patterns. During El Niño events, for example, sea temperatures at the surface in the central and eastern tropical Pacific Ocean become substantially warmer than normal. In contrast, during La Niña events, the sea surface temperatures in these regions become colder than normal. These temperature changes are strongly linked to major climate fluctuations around the globe and, once initiated, such events can last for 12 months or more. The strong El Niño event of 1997-1998 was followed by a prolonged La Niña phase that extended from mid-1998 to early 2001. El Niño/La Niña events change the likelihood of particular climate patterns around the globe, but the outcomes of each event are never exactly the same. Furthermore, while there is generally a relationship between the global impacts of an El Niño/La Niña event and its intensity, there is always potential for an event to generate serious impacts in some regions irrespective of its intensity.

Forecasting and Monitoring the El Niño/La Niña Phenomenon

The forecasting of Pacific Ocean developments is undertaken in a number of ways. Complex dynamical models project the evolution of the tropical Pacific Ocean from its currently observed state. Statistical forecast models can also capture some of the precursors of such developments. Expert analysis of the current situation adds further value, especially in interpreting the implications of the evolving situation below the ocean surface. All forecast methods try to incorporate the effects of ocean-atmosphere interactions within the climate system.

The meteorological and oceanographic data that allow El Niño and La Niña episodes to be monitored and forecast are drawn from national and international observing systems. The exchange and processing of the data are carried out under programmes coordinated by the World Meteorological Organization (WMO).

WMO El Niño/La Niña Update

WMO El Niño/La Niña Update is prepared on a quasi-regular basis (approximately once in three months) through a collaborative effort between WMO and the International Research Institute for Climate and Society (IRI) as a contribution to the United Nations Inter-Agency Task Force on Natural Disaster Reduction. It is based on contributions from the leading centres around the world monitoring and predicting this phenomenon and expert consensus facilitated by WMO and IRI. For more information on the Update and related aspects, please visit:

http://www.wmo.int/pages/prog/wcp/wcasp/wcasp home en.html

Acknowledgements

The WMO El Niño/La Niña Update is prepared through a collaborative effort between the WMO and the International Research Institute for Climate and Society (IRI), USA, and is based on contributions from experts worldwide, inter alia, of the following institutions: African Centre of Meteorological Applications for Development (ACMAD), Armenian State Hydrometeorological and Monitoring Service (ARMSTATEHYDROMET), Asia-Pacific Economic Cooperation (APEC) Climate Centre (APCC), Australian Bureau of Meteorology (BoM), Australian Centre for Sustainable Catchments of the University of Southern Queensland, Badan Meteorologi Klimatologi (BMKG) - the Meteorological, Climatological and Geophysical Agency of Indonesia, Centro Internacional para la Investigación del Fenómeno El Niño (CIIFEN), China Meteorological Administration (CMA), Climate Prediction Center (CPC) and Pacific ENSO Applications Centre (PEAC) of the National Oceanic and Atmospheric Administration (NOAA) of the United States of America (USA), Climate Variability and Predictability (CLIVAR) project of the World Climate Research Programme (WCRP), Comisión Permanente del Pacífico Sur (CPPS), El Comité Multisectorial encargado del Estudio Nacional del Fenómeno El Niño (ENFEN) of Peru, European Centre for Medium Range Weather Forecasts (ECMWF), Météo-France, Fiji Meteorological Service, IGAD (Inter-Governmental Authority on Development) Climate Prediction and Applications Centre (ICPAC), Instituto Nacional de Meteorologia e Hidrologia (INAMHI) of Ecuador, the IRI, Japan Meteorological Agency (JMA), Korea Meteorological Administration (KMA), Mauritius Meteorological Services (MMS), Met Office in the United Kingdom (UKMO), National Center for Atmospheric Research (NCAR) of the USA, Southern African Development Community Climate Services Centre (SADC-CSC), Tasmanian Institute of Agriculture, Australia, and the University of Colorado, USA.